

	Hits	Search Text	DBs
1	223516	(send\$4 or forward\$4 or e\$1mail\$4 or electronic\$1mail\$4) and (manufacturer\$1 or compan\$3 or agenc\$3 or producer\$1 or corporate\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	180360	((send\$4 or forward\$4 or e\$1mail\$4 or electronic\$1mail\$4) and (manufacturer\$1 or compan\$3 or agenc\$3 or producer\$1 or corporate\$1)) and (@ad < "20010510")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	2989	((send\$4 or forward\$4 or e\$1mail\$4 or electronic\$1mail\$4) and (manufacturer\$1 or compan\$3 or agenc\$3 or producer\$1 or corporate\$1)) and (@ad < "20010510")) and ((assembl\$4 or (bring\$4 adj together) or (put\$4 adj together)) with (instruction\$1 or teaching\$1 or list\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	847	(((((send\$4 or forward\$4 or e\$1mail\$4 or electronic\$1mail\$4) and (manufacturer\$1 or compan\$3 or agenc\$3 or producer\$1 or corporate\$1)) and (@ad < "20010510")) and ((assembl\$4 or (bring\$4 adj together) or (put\$4 adj together)) with (instruction\$1 or teaching\$1 or list\$4))) and ((customer\$1 or client\$1 or consumer\$1 or user\$1 or buyer\$1 or purchaser\$1 or shopper\$1) with (request\$4 or quer\$4 or inquir\$4 or demand\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
5	450	((((send\$4 or forward\$4 or e\$1mail\$4 or electronic\$1mail\$4) and (manufacturer\$1 or compan\$3 or agenc\$3 or producer\$1 or corporate\$1)) and (@ad < "20010510")) and ((assembl\$4 or (bring\$4 adj together) or (put\$4 adj together)) with (instruction\$1 or teaching\$1 or list\$4))) and ((customer\$1 or client\$1 or consumer\$1 or user\$1 or buyer\$1 or purchaser\$1 or shopper\$1) with (request\$4 or quer\$4 or inquir\$4 or demand\$4))) and ((group\$1 or set\$1 or cluster\$1) with (component\$1 or part\$1 or piece\$1 or item\$1 or elment\$1 or constituent\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	167	(((((((send\$4 or forward\$4 or e\$1mail\$4 or electronic\$1mail\$4) and (manufacturer\$1 or compan\$3 or agenc\$3 or producer\$1 or corporate\$1)) and (@ad < "20010510")) and ((assembl\$4 or (bring\$4 adj together) or (put\$4 adj together)) with (instruction\$1 or teaching\$1 or list\$4))) and ((customer\$1 or client\$1 or consumer\$1 or user\$1 or buyer\$1 or purchaser\$1 or shopper\$1) with (request\$4 or quer\$4 or inquir\$4 or demand\$4))) and ((group\$1 or set\$1 or cluster\$1) with (component\$1 or part\$1 or piece\$1 or item\$1 or elment\$1 or constituent\$1))) and ((customized or tailored or modified or adapted) with (instruction\$1 or teaching\$1 or lis	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	8078	bar\$1cod\$4.ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
8	7057	bar\$1cod\$4.ti,ab. and (@ad < "20010510")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	28	(((((send\$4 or forward\$4 or e\$1mail\$4 or electronic\$1mail\$4) and (manufacturer\$1 or compan\$3 or agenc\$3 or producer\$1 or corporate\$1)) and (@ad < "20010510")) and ((assembl\$4 or (bring\$4 adj together) or (put\$4 adj together)) with (instruction\$1 or teaching\$1 or list\$4))) and ((customer\$1 or client\$1 or consumer\$1 or user\$1 or buyer\$1 or purchaser\$1 or shopper\$1) with (request\$4 or quer\$4 or inquir\$4 or demand\$4))) and ((group\$1 or set\$1 or cluster\$1) with (component\$1 or part\$1 or piece\$1 or item\$1 or elment\$1 or constituent\$1))) and bar\$1cod\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	2490	(bar\$1cod\$4.ti,ab. and (@ad < "20010510")) and scan\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	193	((bar\$1cod\$4.ti,ab. and (@ad < "20010510")) and scan\$4) and specification\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	972	assembly adj instruction\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	5973	assembly with instruction\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
14	10	((bar\$1cod\$4.ti,ab. and (@ad < "20010510")) and scan\$4) and specification\$1) and ((assembl\$4 or (bring\$4 adj together) or (put\$4 adj together)) with (instruction\$1 or teaching\$1 or list\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	3	((bar\$1cod\$4.ti,ab. and (@ad < "20010510")) and scan\$4) and specification\$1) and (assembly with instruction\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	49	(("4456843") or ("4477237") or ("4553298") or ("4830113") or ("5210997") or ("5457398") or ("5473507") or ("5502571") or ("5542315") or ("5663653") or ("5682289") or ("5839236") or ("5871333") or ("6118203") or ("6195613") or ("6232788") or ("6449791") or ("5409088") or ("5779278") or ("6076428") or ("4263708") or ("4307833") or ("4341200") or ("4357929") or ("4464832") or ("4465929") or ("4500152") or ("4831384") or ("4880280") or ("4902164") or ("4973187") or ("4998232") or ("5184755") or ("5294153") or ("5295461") or ("5406917") or ("5621573") or ("5681097") or ("5704727") or ("5810269") or ("5833514") or ("5851565") or ("5934569") or ("6000959") or ("6058898") or ("6058898") or ("6149213") or ("6193172") or ("6193553") or ("3869089")) .PN.	USPAT
17	11081	((707/1-10) or (29/428-430) or (29/592) or (700/116) or (700/117) or (707/104.1)) .CCLS.	USPAT
18	9860	((707/1-10) or (29/428-430) or (29/592) or (700/116) or (700/117) or (707/104.1)) .CCLS.) and (@ad < "20010510")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
19	302	(((((707/1-10) or (29/428-430) or (29/592) or (700/116) or (700/117) or (707/104.1)).CCLS.) and (@ad < "20010510")) and ((assembl\$4 or (bring\$4 adj together) or (put\$4 adj together)) with (instruction\$1 or teaching\$1 or list\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	8	(((((707/1-10) or (29/428-430) or (29/592) or (700/116) or (700/117) or (707/104.1)).CCLS.) and (@ad < "20010510")) and ((assembl\$4 or (bring\$4 adj together) or (put\$4 adj together)) with (instruction\$1 or teaching\$1 or list\$4))) and scan\$4 and bar\$1cod\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	4933	(assembly with instruction\$1) and (@ad < "20010510")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	280	((assembly with instruction\$1) and (@ad < "20010510")) and customized	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	130	((assembly with instruction\$1) and (@ad < "20010510")) and customized) and ((group\$4 or set\$1) with (component\$1 or part\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	3	((assembly with instruction\$1) and (@ad < "20010510")) and customized) and ((group\$4 or set\$1) with (component\$1 or part\$1))) and bar\$1cod\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	74	((assembly with instruction\$1) and (@ad < "20010510")) and customized) and ((group\$4 or set\$1) with (component\$1 or part\$1))) and specification\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	1	((assembly with instruction\$1) and (@ad < "20010510")) and customized) and ((group\$4 or set\$1) with (component\$1 or part\$1))) and specification\$1) and bar-code	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
27	1	("4332012").PN.	USPAT
28	161	(assembly with instruction\$1) same (request\$1 or inquir\$3 or quer\$4 or (demand\$4)) and (@ad < "20010510")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	59	(assembly with instruction\$1) with (request\$1 or inquir\$3 or quer\$4 or (demand\$4)) and (@ad < "20010510")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	63	(assemb\$3 with instruction\$1) with (request\$1 or inquir\$3 or quer\$4 or (demand\$4)) and (@ad < "20010510") and (send\$4 or mail\$4 or forward\$4 or e\$1mail\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	1	(request\$1 with assemb\$3 with instruction\$1).ti,ab. and (@ad < "20010510") and (send\$4 or mail\$4 or forward\$4 or e\$1mail\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	48	(request\$1 with assemb\$3 with instruction\$1) and (@ad < "20010510") and (send\$4 or mail\$4 or forward\$4 or e\$1mail\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	1	((send\$4 with manufacturer\$1) same ((customer\$1 or client\$1) with request\$1)) and (assemb\$4 with instruction\$1) and ((group\$1 or set\$1) with component\$1) and (present\$4 or display\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	563	(705/8).CCLS.	USPAT
35	545	((705/8).CCLS.) and (@ad < "20010510")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
36	6	(((705/8).CCLS.) and (@ad < "20010510")) and (assemb\$4 with instruction\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
37	148	(knowledge adj base\$2) and ((assembl\$4 or install\$4) with instruction\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
38	109	((knowledge adj base\$2) and ((assembl\$4 or install\$4) with instruction\$1)) and (@ad < "20010510")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
39	64	(((knowledge adj base\$2) and ((assembl\$4 or install\$4) with instruction\$1)) and (@ad < "20010510")) and ((group\$4 or set\$4 or cluster\$4 or class\$3 or categoriz\$4) with (components or items or parts or elements or pieces))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
1	8425	(235/435-486) .CCLS.	USPAT
2	6638	11 and (@ad < "20010510")	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
3	79	12 and ((customer\$1 or client\$1 or assembler\$1 or worker\$1 or operator\$1) with server\$1)	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
4	4	13 and ((assemb\$4 or install\$6) with instruction\$1)	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB